

THOMSON



COURSE TECHNOLOGY

Hands-On Ethical Hacking and Network Defense



Chapter 4 *Footprinting and Social Engineering*

Last modified 1-11-17

Objectives

- Use Web tools for footprinting
- Conduct competitive intelligence
- Describe DNS zone transfers
- Identify the types of social engineering

Using Web Tools for Footprinting

- “Case the joint”
 - Look over the location
 - Find weakness in security systems
 - Types of locks, alarms
- In computer jargon, this is called footprinting
 - Discover information about
 - The organization
 - Its network

Tool	Function
Google groups (http://groups.google.com)	Search for e-mail addresses in technical or nontechnical newsgroup postings
Whois (www.arin.net or www.whois.net)	Gather IP and domain information
SamSpade (www.samspade.org)	Gather IP and domain information; versions available for UNIX and Windows OSs
Web Data Extractor (www.rafasoft.com)	Extract contact data, such as e-mail, phone, and fax information, from a selected target
FOCA (www.informatica64.com/FOCA)	Extract metadata from documents on Web sites to reveal the document creator's network logon and e-mail address, information on IP addresses of internal devices, and more

Table 4-1 Summary of Web tools

Rafasoft.com

The screenshot shows a web browser window with the URL <http://www.rafasoft.com/>. The page features a navigation menu with links for Home, How To, Session, Module, FAQ, Reseller, and No Spam. A Windows 7 logo is visible in the top right corner. Below the navigation, there are four buttons: Download, Purchase, Support, and Tools. The main content area is titled "Web Data Extractor" with a "version 8.0" badge. It lists two key features: extracting targeted company contact data and extracting website meta tags. A screenshot of the software interface is shown. To the right, the "Requirements" section lists system specifications, and the "Versions" section lists previous releases.

Home How To Session Module FAQ Reseller No Spam

Windows 7

spadix software

Download Purchase Support Tools

version 8.0

Web Data Extractor

- ✓ Extract targeted company contact data (email, phone, fax) from web for responsible b2b contact.
- ✓ Extract url, meta tag (title, desc, keyword) for website promotion, search directory creation, web research.

A powerful link extractor, email marketing utility:
URL Extractor - Meta Tag Extractor - Body Text Extractor - Email Extractor - Phone Extractor - Fax Extractor

Requirements

Windows 95/98/2000/NT/ME /XP/Vista/7
32 MB RAM
7 MB Hard Disk Space
Internet Connection

Versions

- ✓ [v8.0 \(Released 01.07.2010\)](#)
- ✓ [v7.3 \(Released 17.06.2009\)](#)
- ✓ [v7.2 \(Released 10.04.2009\)](#)
- ✓ [v7.1 \(Released 15.04.2008\)](#)
- ✓ [v6.0 \(Released 17.04.2007\)](#)
- ✓ [v5.0 \(Released 06.07.2006\)](#)
- ✓ [v4.3 \(Released 20.09.2005\)](#)
- ✓ [v4.0 \(Released 11.12.2004\)](#)

Tool	Function
Necrosoft NScan (www.nscan.org)	Windows scanning, DNS lookup, and advanced Dig tools (see Dig command later in this table)
Google search engine (www.google.com)	Search for Web sites and company data
Namedroppers (www.namedroppers.com)	Run a domain name search; more than 30 million domain names updated daily
White Pages (www.whitepages.com)	Conduct reverse phone number lookups and retrieve address information
Metis (www.severus.org/sacha/metis)	Gather competitive intelligence from Web sites
Dig (command available on all *nix systems; can be downloaded from http://members.shaw.ca/nicholas.fong.dig/ for Windows platforms)	Perform DNS zone transfers; replaces the Nslookup command
Netcat (command available on all *nix systems; can be downloaded from www.securityfocus.com/tools/139 for Windows platforms)	Read and write data to ports over a network
Wget (command available on all *nix systems; can be downloaded from http://gnu.org/software/wget/wget.html for Windows platforms)	Retrieve HTTP, HTTPS, and FTP files over the Internet
Paros (www.parosproxy.org)	Capture Web server information and possible vulnerabilities in a Web site's pages that could allow exploits such as SQL injection and buffer overflow attacks
Maltego (www.paterva.com/web4/index.php/maltego ; also on the book's DVD)	Gather competitive intelligence and represent in graphical form previously unknown relationships between personal identities, companies, and Internet networks

Table 4-1 Summary of Web tools (cont'd.)

Conducting Competitive Intelligence


- Numerous resources to find information legally
- Competitive Intelligence
 - Gathering information using technology
- Identify methods others can use to find information about your organization
- Limit amount of information company makes public

Analyzing a Company's Web Site

- Web pages are an easy source of information
- Many tools available
- BurpSuite
 - Powerful proxy for all platforms (uses Java)
 - <https://portswigger.net/burp/>


Burp Configuration

- "Proxy" tab, "Intercept" sub-tab
 - Adjust to "Intercept is off"
- "Proxy" tab, "Options" sub-tab
 - Start running on port 8080



Proxy Settings in Firefox

- At top right, click "3 bars" icon, then the Gear icon
- In "Advanced", on the "Network" tab, click "Settings"



Configure Proxies to Access the Internet

No proxy

Auto-detect proxy settings for this network

Use system proxy settings

Manual proxy configuration:

HTTP Proxy: Port:

Use this proxy server for all protocols

SSL Proxy: Port:

FTP Proxy: Port:

SOCKS Host: Port:

SOCKS v4 SOCKS v5 Remote DNS

No Proxy for:

Example: .mozilla.org, .net.nz, 192.168.1.0/24

Automatic proxy configuration URL:

Do not prompt for authentication if password is saved

Surf an Insecure Site like aol.com

- "HTTP History" tab shows each request and response

Filter: Hiding non-parameterized items

#	Host	Method	URL
3	http://o.aolcdn.com	GET	/os_merge/?file=/ads/adsWrapper...
12	http://portal.aolcdn.com	GET	/dims3/portal//quality/100/http:/...
19	http://rma-api.gravity.com	GET	/v1/api/intelligence/wf?jq=&sg=ea...
21	http://i.api.grvcdn.com	GET	/gdk/gdk-0.2.5-bare.min.js?cv=6&...
22	http://rma-api.gravity.com	GET	/v1/api/intelligence/wf?jq=&sg=ea...
24	http://www.aol.com	GET	/favicon.ico?v=2
25	http://at.atwola.com	GET	/addyn/3.0/5113.1/221794/0/-1...
26	http://at.atwola.com	GET	/addyn/3.0/5113.1/221794/0/-1...
27	http://at.atwola.com	GET	/addyn/3.0/5113.1/221794/0/-1...
29	http://at.atwola.com	GET	/addyn/3.0/5113.1/221794/0/-1...
33	http://portal.aolcdn.com	GET	/dims3/portal//quality/100/http:/...
35	http://portal.aolcdn.com	GET	/dims3/portal//quality/100/http:/...
36	http://portal.aolcdn.com	GET	/dims3/portal//quality/100/http:/...
41	http://portal.aolcdn.com	GET	/dims3/portal//quality/100/http:/...


Request Response

Raw Params Headers Hex

```
GET /os_merge/?file=/ads/adsWrapper.js HTTP/1.1
Host: o.aolcdn.com
User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10.10; rv:
Accept: */*
Accept-Language: en-US,en;q=0.5
Accept-Encoding: gzip, deflate,wp
Referer: http://www.aol.com/
Connection: keep-alive
```

Surf a Secure Site like samsclass.info

- Browser detects Burp's MITM attack and warns you



Other Proxy Functions


- Intercept & Modify Requests
 - Can exploit poorly-made shopping sites
- Spider
 - Finds all the pages in a site
 - Saves a local copy of them
- Scan for vulnerabilities
 - Get authorization first

Other Proxies

- Zed Attack Proxy from OWASP
 - Can scan for vulnerabilities
- Tamper Data
 - Firefox plug-in for easy interception and alteration of requests
- Chrome Developer Tools
 - Click 3-bars, "More Tools", "Developer Tools"
 - Allows you to examine requests and responses

Timeline

- Shows requests & responses even for secure sites



The screenshot shows the Chrome Developer Tools Network tab for the URL `https://samsclass.info/`. The interface includes a search bar, navigation tabs (Elements, Network, Sources, Timeline, Profiles, Resources, Audits, Console, EditThisCookie), and a toolbar with options like 'View', 'Preserve log', 'Disable cache', and 'No throttling'. A filter box is set to 'All', and resource types are listed as XHR, JS, CSS, Img, Media, Font, Doc, WS, and Other. The main table displays the following data:

Name	Meth...	Status	Type	Initiator	Size	Time	Timeline - Start Time
samsclass.info	GET	200	document	Other	4.9 KB	152 ...	
trophy.png	GET	200	png	(index):103	166 KB	41 ms	
CSAW15LOGO_CO...	GET	200	png	(index):199	6.1 KB	14 ms	
ja.jpg	GET	200	jpeg	(index):209	6.2 KB	75 ms	

Summary statistics: 63 requests | 716 KB transferred | Finish: 31.13 s | DOMContentLoaded: 382 ms | Load: 1.42 s

The Console tab shows the message: "Navigated to `https://samsclass.info/`". A yellow warning message is also present: "Mixed Content: The page at '`https://samsclass.info/`' was loaded over HTTPS, but requested an insecure image '`http://www.mit.edu/cgi/counter/sbowne`'. This content should also be served over HTTPS." The warning includes a reference to `(index):310`.

Using Other Footprinting Tools

- Whois
 - Commonly used tool
 - Gathers IP address and domain information
 - Attackers can also use it
- Host command
 - Can look up one IP address, or the whole DNS Zone file
 - All the servers in the domain

ARIN Whois from Linux

- host mit.edu
- nc whois.arin.net
- 18.7.22.69

- This shows registration information for the domain

```
yourname@S214-01u:~$ nc whois.arin.net 43
18.7.22.69

OrgName:      Massachusetts Institute of Techn
OrgID:        MIT-2
Address:      Room W92-190
Address:      77 Massachusetts Avenue
City:         Cambridge
StateProv:    MA
PostalCode:   02139-4307
Country:      US

NetRange:     18.0.0.0 - 18.255.255.255
CIDR:         18.0.0.0/8
NetName:      MIT
NetHandle:    NET-18-0-0-0-1
Parent:
NetType:      Direct Assignment
NameServer:   STRAWB.MIT.EDU
NameServer:   W20NS.MIT.EDU
NameServer:   BITSY.MIT.EDU
Comment:
RegDate:
Updated:      1998-09-26


RTechHandle:  JIS-ARIN
RTechName:    Schiller, Jeffrey
RTechPhone:   +1-617-253-8400
RTechEmail:   jis@mit.edu

OrgTechHandle: JIS-ARIN
OrgTechName:   Schiller, Jeffrey
OrgTechPhone:  +1-617-253-8400
OrgTechEmail:  jis@mit.edu

# ARIN WHOIS database, last updated 2007-02-
# Enter ? for additional hints on searching
```

Sam Spade

- GUI tool
- Available for UNIX and Windows
- Easy to use



Maltego

The screenshot displays the Maltego Radium 3.2.0 BETA interface. The main window shows a network graph with several nodes and connecting lines. The nodes include:

- A central yellow node with a penguin icon and the text "RT @kylemaxwell: I wrote some pretty terrible...".
- A node with a person's profile picture and the text "RT @kylemaxwell: The sample Python library fo...".
- A node with a person's profile picture and the text "I wrote some pretty terrible prototype code...".
- A node with a person's profile picture and the text "RT @kylemaxwell: I wrote some pretty terrible...".
- A node with a person's profile picture and the text "maltego - Additional Footprinting Tool...".
- A node with a person's profile picture and the text "maltego".
- A node with a person's profile picture and the text "maltego".

The interface includes a top menu bar with "Investigate", "Manage", "Organize", and "Machines". Below the menu bar are buttons for "Run Machine", "Stop all Machines", "New Machine", and "Manage Machines". On the left side, there is a "Palettes" panel with categories like "Devices", "Infrastructure", "Locations", "Penetration Testing", and "Personal". The right side features a "Running Machines" panel with a "Twitter Monitor" machine, a "Detail View" panel showing a tweet's details, and a "Property view" panel showing the tweet's properties.

Twitter Monitor [maltego]

Waiting for next iteration...

```
deleted()
ago()
incoming()
outgoing()
refresh()
```

Time to next run: 3s

Detail View

maltego

Details

Twitter info

Content

```
RT @kylemaxwell: I wrote some pretty terrible
prototype code tonight to integrate CP and
#Maltego. https://t.co/0qzObdGcJx
@Paterica @Sandy3am
```

Date

```
2012-08-30T10:43:40Z
```

Author

```
Barclay3am (@Barclay3am)
```

Property view

Properties

Type	Value
Twitter	Twitter
Text	RT @kylemaxwell: I wrote som...
Text ID	tag:search.twitter.com,2005:...
Author	Barclay3am (@Barclay3am)
Author URI	http://twitter.com/Barclay3am
Content	RT @ca-dass=" href="https...
Image Link	http://t0.twimg.com/profile_p...
Date published	2012-08-30T10:43:40Z
Title	RT @kylemaxwell: I wrote som...
Dynamic properties	
Source	https://t0.twimg.com/profile...

What does Maltego do?

- Maltego is a program that can be used to determine the relationships and real world links between:
 - People
 - Groups of people (social networks)
 - Companies
 - Organizations
 - Web sites
 - Internet infrastructure such as:
 - Domains
 - DNS names
 - Netblocks
 - IP addresses
 - Phrases
 - Affiliations
 - Documents and files
- These entities are linked using open source intelligence.
- Maltego is easy and quick to install - it uses Java, so it runs on Windows, Mac and Linux.
- Maltego provides you with a graphical interface that makes seeing these relationships instant and accurate - making it possible to see hidden connections.
- Using the graphical user interface (GUI) you can see relationships easily - even if they are three or four degrees of separation away.
- Maltego is unique because it uses a powerful, flexible framework that makes customizing possible. As such, Maltego can be adapted to your own, unique requirements.

Domain Dossier Investigate domains and IP addresses

domain or IP address

- domain whois record DNS records traceroute
 network whois record service scan

user: anonymous [[50.156.105.174](#)]
balance: 47 units
[log in](#) | [account info](#)

Central Ops.net

Address lookup

canonical name [samsclass.info](#).

aliases

addresses **2400:cb00:2048:1::681c:101d**
2400:cb00:2048:1::681c:111d
104.28.17.29
104.28.16.29

Domain Whois record

Queried [whois.afiliass.info](#) with "[samsclass.info](#)"...

```
Domain Name: SAMSCCLASS.INFO
Domain ID: D5633947-LRMS
WHOIS Server:
Referral URL: http://registrar.landl.info
Updated Date: 2016-02-17T00:41:08Z
Creation Date: 2004-01-23T14:49:50Z
Registry Expiry Date: 2017-01-23T14:49:50Z
Sponsoring Registrar: 1&1 Internet SE
```

Using E-mail Addresses

- E-mail addresses help you retrieve even more information than the previous commands
- Find e-mail address format
 - Guess other employees' e-mail accounts
- Tool to find corporate employee information
 - *Groups.google.com*

Using HTTP Basics

- HTTP operates on port 80
- Use HTTP language to pull information from a Web server
- Basic understanding of HTTP is beneficial for security testers
- Return codes
 - Reveal information about server OS

Table 4-2 HTTP client errors

Error	Description
400 Bad Request	Request not understood by server
401 Unauthorized	Request requires authentication
402 Payment Required	Reserved for future use
403 Forbidden	Server understands request but refuses to comply
404 Not Found	Unable to match request
405 Method Not Allowed (methods are covered later in this section)	Request not allowed for the resource
406 Not Acceptable	Resource does not accept your request
407 Proxy Authentication Required	Client must authenticate with proxy
408 Request Timeout	Request not made by client in allotted time
409 Conflict	Request could not be completed due to an inconsistency
410 Gone	Resource is no longer available
411 Length Required	Content length not defined
412 Precondition Failed	Request header fields evaluated as false
413 Request Entity Too Large	Request larger than server is able to process
414 Request-URI (Uniform Resource Identifier) Too Long	Request-URI is longer than the server is willing to accept

Table 4-3 HTTP server errors

Error	Description
500 Internal Server Error	Request could not be fulfilled by server
501 Not Implemented	Server does not support request
502 Bad Gateway	Server received invalid response from upstream server
503 Service Unavailable	Server is unavailable due to maintenance or overload
504 Gateway Timeout	Server did not receive a timely response
505 HTTP Version Not Supported	HTTP version not supported by server

Using HTTP Basics (continued)

- HTTP methods
 - GET / HTTP/1.1. is the most basic method
 - Can determine information about server OS from the server's generated output


Table 4-4 HTTP methods

Method	Description
GET	Retrieves data by URI (Uniform Resource Identifier)
HEAD	Same as the GET method, but retrieves only the header information of an HTML document, not the document body
OPTIONS	Requests information on available options
TRACE	Starts a remote application-layer loopback of the request message
CONNECT	Used with a proxy that can dynamically switch to a tunnel connection, such as Secure Socket Layer (SSL)
DELETE	Requests that the origin server delete the identified resource
PUT	Requests that the entity be stored under the Request-URI
POST	Allows data to be posted (that is, sent to a Web server)

Using Telnet as a Browser

- Use Windows
 - If Telnet is not installed, use Control Panel, Programs and Features, Add/Remove Windows Components
- telnet samsclass.info 80
- Press Ctrl+]
- Set localecho
- Press Enter twice

Using the OPTIONS Method




```
Administrator: Command Prompt
OPTIONS x HTTP/1.1
Host: samsclass.info

HTTP/1.1 200 OK
Date: Wed, 08 Sep 2010 14:29:29 GMT
Server: Apache
Content-Length: 0
Allow: GET, HEAD, OPTIONS

Connection to host lost.

C:\Users\Sam>
```

Using the GET Method



```
Administrator: Command Prompt
GET / HTTP/1.1
Host: samsclass.info

HTTP/1.1 200 OK
Date: Wed, 08 Sep 2010 14:33:12 GMT
Server: Apache
Transfer-Encoding: chunked
Content-Type: text/html

f7e
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">

<HTML LANG=en>
<HEAD>
<TITLE>samsclass.info: Sam Bowne Class Information</TITLE>
<LINK REU="made" href="mailto:sbowne@fog.ccsf.org">
<META NAME="keywords" CONTENT="Computer and Information Science, C
n Francisco, CCSF, HTML, College, Training, Education, Community C
```

Other Methods of Gathering Information


- Cookies
- Web bugs

Detecting Cookies and Web Bugs

- Cookie
 - Text file generated by a Web server
 - Stored on a user's browser
 - Information sent back to Web server when user returns
 - Used to customize Web pages
 - Some cookies store personal information
 - Security issue

Viewing Cookies

- In Firefox
- Tools, Options
- Privacy tab
- Show Cookies



Detecting Cookies and Web Bugs (continued)

- Web bug
 - 1-pixel x 1-pixel image file (usually transparent)
 - Referenced in an tag
 - Usually works with a cookie
 - Purpose similar to that of spyware and adware
 - Comes from third-party companies specializing in data collection

Ghostery



- Firefox & Chrome extension to reveal Web bugs
- Count of trackers appears in status bar
 - Link Ch 4j

Using Domain Name Service (DNS) Zone Transfers

- DNS
 - Resolves host names to IP addresses
 - People prefer using URLs to IP addresses
- Zone Transfer tools
 - Dig
 - Host

Primary DNS Server

- Determining company's primary DNS server
 - Look for the Start of Authority (SOA) record
 - Shows zones or IP addresses

Using dig to find the SOA

- dig soa mit.edu
- Shows three servers, with IP addresses
- This is a start at mapping the MIT network

```
yourname@S214-01u:~$ dig soa mit.edu

; <<>> DiG 9.3.2 <<>> soa mit.edu
;; global options: printcmd
;; Got answer:
;; ->>HEADER<<- opcode: QUERY, status: NOERROR, id: 60742
;; flags: qr rd ra; QUERY: 1, ANSWER: 1, AUTHORITY: 3, ADDITIONAL: 3

;; QUESTION SECTION:
mit.edu.                IN      SOA

;; ANSWER SECTION:
mit.edu.                4539   IN      SOA      BITSY.mit.edu. NETWORK
it.edu. 4349 3600 900 3600000 21600

;; AUTHORITY SECTION:
mit.edu.                4539   IN      NS       STRAWB.mit.edu.
mit.edu.                4539   IN      NS       BITSY.mit.edu.
mit.edu.                4539   IN      NS       W20NS.mit.edu.


;; ADDITIONAL SECTION:
BITSY.mit.edu.         14362  IN      A        18.72.0.3
W20NS.mit.edu.        16061  IN      A        18.70.0.160
STRAWB.mit.edu.       12793  IN      A        18.71.0.151
```


Using (DNS) Zone Transfers

- Zone Transfer
 - Enables you to see all hosts on a network
 - Gives you organization's network diagram
 - MIT has protected their network – zone transfers no longer work
 - `dig @BITSY.mit.edu mit.edu axfr`
 - Command fails now

Blocking Zone Transfers


- See link Ch 4e



Introduction to Social Engineering

- Older than computers
- Targets the human component of a network
- Goals
 - Obtain confidential information (passwords)
 - Obtain personal information

Click to **LOOK INSIDE!**



Ghost in the Wires: My Adventures as the World's Most Wanted Hacker [Hardcover]

[Kevin Mitnick](#) (Author), [Steve Wozniak](#) (Foreword), [William L. Simon](#) (Contributor)

★★★★★ (99 customer reviews) |  (77)

List Price: ~~\$25.99~~

Price: **\$15.17** & eligible for **FREE Super Saver Shipping** on orders over \$25. [Details](#)

You Save: **\$10.82 (42%)**

In Stock.

Ships from and sold by **Amazon.com**. Gift-wrap available.

Want it delivered Thursday, September 8? Order it in the next **0 hours and 18 minutes**, and choose **One-Day Shipping** at checkout. [Details](#)

22 new from **\$14.79** **9 used** from **\$16.86**

- Link Ch 41

Mitnick fakes way into LA Telco Central Office

elinomills

10 videos

Subscribe



- [Link Ch 4m](#)

HB Gary Federal Hacked

Anonymous speaks: the inside story of the HBGary hack

By Peter Bright | Published 12 months ago



- [Link Ch 4n](#)

From: Greg
To: Jussi
Subject: need to ssh into rootkit
im in europe and need to ssh into the server. can you drop open up
firewall and allow ssh through port 59022 or something vague?
and is our root password still 88j4bb3rw0cky88 or did we change to
88Scr3am3r88 ?
thanks

From: Jussi
To: Greg
Subject: Re: need to ssh into rootkit
hi, do you have public ip? or should i just drop fw?
and it is w0cky - tho no remote root access allowed

From: Greg
To: Jussi
Subject: Re: need to ssh into rootkit
no i dont have the public ip with me at the moment because im ready
for a small meeting and im in a rush.
if anything just reset my password to changeme123 and give me public
ip and ill ssh in and reset my pw.

Tactics

- Persuasion
- Intimidation
- Coercion
- Extortion/blackmailing

Introduction to Social Engineering (continued)

- The biggest security threat to networks
- Most difficult to protect against
- Main idea:
 - “Why to crack a password when you can simply ask for it?”
 - Users divulge their passwords to IT personnel

Social Engineer Studies Human Behavior

- Recognize personality traits
- Understand how to read body language

Introduction to Social Engineering (continued)

- Techniques
 - Urgency
 - Quid pro quo
 - Status quo
 - Kindness
 - Position

Preventing Social Engineering

- Train user not to reveal any information to outsiders
- Verify caller identity
 - Ask questions
 - Call back to confirm
- Security drills

OSSTMM Social Engineering Template

Company	
Company Name	
Company Address	
Company Telephone	
Company Fax	
Company Web Page	
Products and Services	
Primary Contacts	
Departments and Responsibilities	
Company Facilities Location	
Company History	
Partners	
Resellers	
Company Regulations	
Company Info Security Policy	
Company Traditions	
Company Job Postings	
Temporary Employment Availability	
Typical IT Threats	

People	
Employee Information	
Employee Names and Positions	
Employee Place in Hierarchy	
Employee Personal Pages	
Employee Best Contact Methods	
Employee Hobbies	
Employee Internet Traces (SENET, Forums)	
Employee Opinions Expressed	
Employee Friends and Relatives	
Employee History (Including Work History)	
Employee Character Traits	
Employee Values and Priorities	
Employee Social Habits	
Employee Speech and Speaking Patterns	
Employee Gestures and Manners	

Figure 4-17 Social Engineering Template

OSSTMM Social Engineering Telephone Attack Template

Attack Scenario	
Telephone #	
Person	
Description	
Results	




Figure 4-18 Social Engineering Telephone Attack Template

DEF CON Social Engineering Contest

Only 5 (all women) of 135 pass Defcon social engineering test

Contest results will be published next week, organizers say

By [Robert McMillan](#), IDG News Service
September 03, 2010 03:40 AM ET

 Share/Email  Tweet This  Comment  Print

 Newsletter Sign-Up

Of the 135 Fortune 500 employees targeted by social engineering hackers in a recent contest only five of them refused to give up any corporate information whatsoever. And guess what? All five were women.

- Link Ch 4k

The Art of Shoulder Surfing

- Shoulder surfer
 - Reads what users enter on keyboards
 - Logon names
 - Passwords
 - PINs

Tools for Shoulder Surfing

- Binoculars or telescopes or cameras in cell phones
- Knowledge of key positions and typing techniques
- Knowledge of popular letter substitutions
 - s equals \$, a equals @

The Art of Shoulder Surfing (continued)

- Prevention
 - Avoid typing when someone is nearby
 - Avoid typing when someone nearby is talking on cell phone
 - Computer monitors should face away from door or cubicle entryway
 - Immediately change password if you suspect someone is observing you

Dumpster Diving

- Attacker finds information in victim's trash
 - Discarded computer manuals
 - Notes or passwords written in them
 - Telephone directories
 - Calendars with schedules
 - Financial reports
 - Interoffice memos
 - Company policy
 - Utility bills
 - Resumes of employees

The Art of Dumpster Diving (continued)

- Prevention
 - Educate your users about dumpster diving
 - Proper trash disposal
 - Use “disk shredder” software to erase disks before discarding them
 - Software writes random bits
 - Done at least seven times
 - Discard computer manuals offsite
 - Shred documents before disposal

Piggybacking

- Trailing closely behind an employee cleared to enter restricted areas
- How it works:
 - Watch authorized personnel enter an area
 - Quickly join them at security entrance
 - Exploit the desire of other to be polite and helpful
 - Attacker wears a fake badge or security card

Piggybacking Prevention

- Use turnstiles
- Train personnel to notify the presence of strangers
- Do not hold secured doors for anyone
 - Even for people you know
- All employees must use secure cards

Phishing

- Deceptive emails or text messages
- Can take money, passwords, or install malware on your computer

